SPPAM Potential Topics

Women's Mental Health / Psychiatry in OB/GYN

- Premenstrual Dysphoric Disorder (PMDD)
 - o Symptoms tied to menstrual cycle; often underdiagnosed; treatment options
- Perinatal Mood and Anxiety Disorders (PMADs)
 - o Postpartum depression, anxiety, OCD, psychosis; early screening, early intervention
- Infertility and Mental Health
 - O Psychological distress related to infertility treatments and outcomes
- Postpartum Psychosis
 - O Psychiatric emergency, how to manage with medications, mom/baby safety
- Pregnancy and Bipolar Disorder
 - O Managing mood stabilizers during pregnancy and postpartum risk of relapse.
- Perimenopausal and Menopausal Psychiatric Symptoms
 - o Mood swings, depression, anxiety, and/or insomnia during hormonal transitions.
- Cancer and Mental Health (breast, uterine, cervical)
 - o Psychological distress, coping after surgery (mastectomy / hysterectomy), psychotherapy
- Psychotropic Use in Pregnancy & Breastfeeding
 - o Risk-benefit analysis, informed consent, and maternal-fetal health
- Neuromodulation During Pregnancy
 - o ECT or TMS to treat psychiatric symptoms, risk/benefit
- Borderline Personality Disorder in Women
 - o Often stigmatized; discuss misdiagnosis and trauma background.
- ADHD in Adult Women
 - o Frequently underdiagnosed or misdiagnosed as anxiety/depression.
- Somatic Symptom and Related Disorders
 - o Historically overdiagnosed in women; explore biases in care.
- Gender Bias in Psychiatric Research and Drug Trials
 - o Underrepresentation of women in studies leads to knowledge gaps
- Chronic Pelvic Pain and Mental Health
 - o Link with depression, trauma history, and somatic symptom disorders
- Vaginismus and Genito-Pelvic Pain Disorders
 - o Psychological contributors and the role of behavioral therapies
- Somatization in OB-GYN Clinics
 - \circ When no organic cause is found for symptoms; importance of collaborative care

Edited: 9/6/2025

Trauma and Gender-Based Violence

- Post-Traumatic Stress Disorder (PTSD): Beyond the Basics
 - O Complex PTSD vs. classic PTSD

- Delayed-onset PTSD
- Dissociative subtype of PTSD

Acute Stress Reaction vs. PTSD

O Diagnostic distinction, time course, and treatment implications

Complex Trauma and Developmental Trauma Disorder

- Chronic trauma in childhood (e.g., abuse, neglect)
- Controversy over including it in the DSM

• Dissociation and Trauma

- O Depersonalization, derealization, dissociative amnesia
- Trauma-related dissociative disorders like DID

Childhood Trauma and Lifespan Mental Health Outcomes

Link to mood, personality, and psychotic disorders

Intimate Partner Violence (IPV) and Coercive Control

- Subtle forms of abuse and their psychological effects
- O High prevalence in women; complex trauma presentations

Sexual Assault and Mental Health Outcomes

O Risk of PTSD, depression, dissociation; needs trauma-informed care.

Human Trafficking and Psychiatric Sequelae

o Often missed in clinical settings; requires interdisciplinary approach

The Neurobiology of Trauma

o HPA axis, amygdala hyperactivity, hippocampal volume loss

Trauma and Memory

o Fragmented vs. coherent memories, repressed memories, false memories

• Epigenetics and Intergenerational Trauma

o Trauma-induced gene expression changes passed to offspring

• Trauma-Informed Care: Principles and Practice

o Creating safe, non-retraumatizing environments in all clinical settings

Evidence-Based Treatments for PTSD

 EMDR, prolonged exposure, cognitive processing therapy, and newer interventions like MDMA-assisted psychotherapy

Trauma and Treatment Resistance

When patients with trauma histories don't respond to standard psychiatric treatments

Edited: 9/6/2025

Cultural Adaptations of Trauma Therapy

o Addressing trauma in cross-cultural settings

Trauma and Incarcerated Populations

High rates of trauma history in jail/prison settings

• Immigrant and Refugee Trauma

o PTSD in the context of forced migration, war, and displacement

• Indigenous and Racial Trauma

- Historical trauma, intergenerational transmission of trauma
- Cultural formulation of trauma symptoms

Medical Trauma and Psychiatric Sequelae

o ICU survivors, cancer patients, childbirth-related trauma

- Sexual Trauma and Long-Term Psychiatric Impact
 - o PTSD, shame, dissociation, and somatic symptoms
- Trauma in Healthcare Providers (Vicarious Trauma)
 - o Secondary traumatic stress, burnout, moral injury
- Repressed Memories and the "Recovered Memory" Debate
 - Clinical and legal implications
- Psychedelics in Trauma Treatment
 - o MDMA and psilocybin in PTSD clinical trials
- Trauma vs. Resilience: Why Do Some Thrive After Trauma?
 - o Post-traumatic growth vs. pathology

Suicide and Suicidal Behavior

- Suicide in Adolescents and Young Adults
 - o Role of social media, bullying, identity issues, academic stress
- Suicide in Older Adults
 - Often more lethal attempts, overlooked depression, loneliness
- Suicide in LGBTQ+ Populations
 - o Minority stress, family rejection, internalized stigma
- Suicide Among Healthcare Professionals
 - o Burnout, perfectionism, access to lethal means
- Veterans and Military Suicide
 - o Combat trauma, TBI, stigma of mental health treatment
- Cultural and Religious Perspectives on Suicide
 - o How beliefs influence expression, stigma, and help-seeking
- Media Reporting and the Suicide Contagion Effect
 - o "Werther effect" vs. "Papageno effect"; responsible media practices
- Assisted Suicide and Medical Aid in Dying
 - Ethical debates, legal frameworks, psychiatric involvement
- Suicide in Indigenous Communities
 - o Historical trauma, marginalization, culturally informed prevention
- Digital and Cyber Suicidality
 - o Online suicide forums, digital self-harm, exposure to graphic content
- Neurobiology of Suicidal Behavior
 - o Serotonin dysregulation, genetic markers, inflammation
- The Role of Impulsivity and Executive Dysfunction
 - o Particularly relevant in adolescents and those with BPD or ADHD
- Brief Suicide Interventions in Acute Settings
 - Safety planning, means restriction, safety contracts (and their limitations)
- Pharmacologic Treatments and Suicide Risk
 - o Lithium's anti-suicidal effects, SSRIs and black box warning controversy

- Dialectical Behavior Therapy (DBT) for Suicidal Patients
 - o Especially effective for chronic suicidality and BPD
- Ketamine and Esketamine in Suicidal Depression

- o Rapid reduction of suicidal ideation; emerging area
- Postvention: Supporting Survivors of Suicide Loss
 - o Grief, guilt, risk of suicide contagion in close contacts
- Suicide Contagion and the Role of Schools
 - o Postvention practices, media influence, and prevention efforts

Psychiatry & Internal Medicine

- Depression in Chronic Illness
 - o Diabetes, heart disease, COPD, chronic kidney disease
 - o Impact on treatment adherence, outcomes, and quality of life
- Delirium: Diagnosis, Prevention, and Management
 - Differentiating from dementia and psychosis; hypoactive vs. hyperactive types
- Anxiety Disorders in Medically Ill Patients
 - o Panic attacks mistaken for cardiac or pulmonary symptoms
- Psychiatric Manifestations of Endocrine Disorders
 - Hypo/hyperthyroidism, Cushing's, Addison's disease, diabetes
- Depression and Inflammation: The Mind-Body Link
 - o Role of cytokines, IL-6, and CRP in mood disorders
- Psychotropic Side Effects with Medical Implications
 - o QT prolongation, metabolic syndrome, hyponatremia, liver toxicity
- Lithium and Internal Medicine
 - o Renal monitoring, thyroid dysfunction, drug interactions
- Steroid-Induced Psychiatric Syndromes
 - Mania, psychosis, mood lability from corticosteroid use
- Benzodiazepines in Medically Ill and Elderly Patients
 - o Delirium risk, falls, dependence
- Somatic Symptom and Related Disorders
 - o Differentiating from malingering or factitious disorder in clinical settings
- Functional Neurological Symptom Disorder (Conversion Disorder)
 - Misdiagnosis risk, neurologic workups, patient engagement
- Illness Anxiety Disorder and Medical Overutilization
 - o Impact on health systems, patient distress, and management strategies
- The Collaborative Care Model in Primary/Internal Medicine
 - o Evidence-based psychiatric integration into primary care settings
- Neuropsychiatric Manifestations of Systemic Lupus Erythematosus (NPSLE)
 - Mood, psychosis, cognitive symptoms
- Hepatic Encephalopathy and Psychiatric Symptoms
 - o Confusion, irritability, hallucinations—psychiatric vs metabolic
- HIV and Psychiatric Disorders
 - o Neurocognitive disorders, mood/anxiety, and adherence challenges
- Psychiatric Issues in Organ Transplant Patients
 - o Pre-transplant evaluation, medication adherence, post-op adjustment

Edited: 9/6/2025

• Smoking, Alcohol, and Substance Use in Internal Medicine

- o Screening, brief interventions, referral to treatment
- Eating Disorders and Medical Complications
 - Cardiac arrhythmias, electrolyte disturbances, GI issues

Psychiatry & Pediatrics

- Disruptive Mood Dysregulation Disorder (DMDD)
 - o Understanding chronic irritability and its overlap with bipolar disorder
- Attachment Disorders
 - Reactive attachment (RAD), disinhibited social engagement d/o (DSED), and early neglect
- Speech Delay or Behavioral Issue?
 - o Differentiating language disorders from psychiatric/behavioral conditions
- Sleep Disorders in Children and Associated Psychiatric Conditions
 - Sleep hygiene, melatonin use, and links to ADHD or anxiety
- Enuresis, Encopresis, and Psychiatric Comorbidity
 - o Emotional, social, and behavioral implications
- Psychiatric Considerations in Medically Ill Children
 - o Chronic illness, hospitalization stress, somatization
- Mental Health in Children with Intellectual and Developmental Disabilities
 - o Behavior management, communication tools, and family support
- Gender Identity and Mental Health in Youth
 - o Supporting transgender and nonbinary children and adolescents
- Children in Foster Care and Residential Treatment
 - o High rates of trauma, instability, and mental health needs
- Screen Time, Social Media, and Mental Health
 - o Effects on attention, mood, self-esteem, and body image
- Bullying, Cyberbullying, and Psychiatric Outcomes
 - Suicide risk, anxiety, school avoidance
- Mental Health Disparities in Children and Adolescents
 - o Access, stigma, racism, and social determinants of health
- Early Childhood Interventions and Prevention of Psychiatric Disorders
 - o Role of parenting programs, Head Start, trauma-informed care
- Teen Vaping, Cannabis, and Mental Health
 - o Cognitive effects, risk of psychosis, and dependency
- Artificial Intelligence and Mental Health Screening in Pediatrics
 - Ethics, privacy, and real-world utility

Psychiatry & Surgery

- Preoperative Anxiety and Its Impact on Surgical Outcomes
 - o Interventions: counseling, pharmacologic anxiolysis, relaxation techniques

- Depression and Surgical Recovery
 - Delayed wound healing, increased complications, longer hospital stays
- Assessment of Capacity and Informed Consent

- o Particularly in emergent surgery, patients with cognitive impairment or psychiatric disorders
- Psychotropic Medication Management Before Surgery
 - SSRIs, lithium, antipsychotics: perioperative interactions and risks
- Body Dysmorphic Disorder in Cosmetic and Elective Surgery
 - o Identifying unrealistic expectations, risk of dissatisfaction or self-harm
- Delirium in Surgical Patients
 - o Risk factors: age, ICU stay, medications, anesthesia; hypoactive vs. hyperactive delirium
- Postoperative Depression and Anxiety
 - Especially after major surgeries like cardiac, orthopedic, or cancer surgeries
- Post-Traumatic Stress Disorder After Surgery
 - o ICU trauma, emergency procedures, or near-death experiences
- Acute Psychosis or Mania After Surgery
 - o Steroid-induced, metabolic causes, or medication interactions
- Nonadherence to Pre- and Postoperative Instructions
 - Psychiatric disorders affecting compliance: cognitive impairment, psychosis, ADHD
- Substance Use and Surgical Outcomes
 - Alcohol, opioids, benzodiazepines: withdrawal management, perioperative risk
- Psychiatric Screening Before Cosmetic or Bariatric Surgery
 - o Body image disorders, eating disorders, depression, unrealistic expectations
- Gender-Affirming Surgery and Mental Health
 - o Preoperative assessment, postoperative adjustment, & long-term psychosocial outcomes
- Surgery in Patients with Severe Mental Illness
 - o Risk assessment, communication, support systems
- Suicide Risk Post-Surgery
 - o Particularly in cosmetic, bariatric, or limb amputation cases
- Pediatric Surgery and Psychiatric Considerations
 - o Anxiety, behavioral reactions, parental influence, assent vs. consent
- Enhanced Recovery After Surgery (ERAS) and Mental Health
 - o Integrating psychosocial support to improve outcomes
- Neuropsychiatric Effects of Surgery
 - Postoperative cognitive dysfunction (POCD), delirium, and long-term cognitive changes

Psychiatry & Neurology

- Depression in Neurological Disorders
 - o Post-stroke depression, Parkinson's disease, multiple sclerosis
- Anxiety Disorders in Neurological Illness
 - o Generalized anxiety, panic, and phobias in epilepsy or MS
- Psychosis in Neurology
 - o Parkinson's disease psychosis, Lewy body dementia, epilepsy-related psychosis
- Apathy, Alexithymia, and Emotional Blunting
 - o After traumatic brain injury (TBI) or neurodegenerative disease
- Mood Disorders in Epilepsy
 - o Interictal and periictal mood changes; effects of anti-epileptic drugs
- Autism Spectrum Disorder and Neurological Comorbidities
 - o Epilepsy, intellectual disability, and behavioral challenges
- ADHD and Neurological Correlates
 - o Structural and functional brain differences, executive dysfunction
- Tourette's Syndrome and Associated Psychiatric Disorders
 - o OCD, ADHD, anxiety
- Stroke and Neuropsychiatric Complications
 - o Emotional lability, post-stroke depression, post-stroke anxiety
- Psychiatric Manifestations in Parkinson's Disease
 - Depression, anxiety, psychosis, impulse control disorders
- Huntington's Disease and Psychiatric Symptoms
 - o Irritability, apathy, depression, psychosis
- Functional Neurological Conditions
 - o Types, work-up, approach to treatment, connecting patients to treatment
- Multiple Sclerosis and Psychiatric Comorbidity
 - o Depression, fatigue, cognitive dysfunction, pseudobulbar affect
- Autoimmune Encephalitis
 - o Limbic encephalitis: psychosis, mood changes, cognitive deficits (Book: Brain on Fire)
- Neuropsychiatric Lupus
 - o Cognitive dysfunction, mood disorders, psychosis
- Steroid- or Hormone-Induced Psychiatric Disorders
 - Mania, psychosis, depression in neurological treatment contexts, medical spas offering exogenous hormone / steroid treatments

- Anti-Epileptic Drugs and Mood Changes
 - Risk of depression or irritability with certain AEDs
- Dopaminergic Therapy in Parkinson's Disease
 - o Impulse control disorders, mania, psychosis

Psychiatry & Technology

- Digital Mental Health Tools in Primary Care
 - o Apps, wearable tracking, and Al-assisted screening
- Social Media and Adolescent Mental Health
 - Anxiety, depression, body image issues, cyberbullying, and social comparison
- Screen Time and Cognitive-Emotional Development
 - Effects on attention, sleep, executive function, and emotional regulation
- Video Gaming and Internet Addiction
 - o Gaming disorder, impulse control, aggression, and social isolation
- Online Communities and Peer Support
 - o Positive (support groups) vs. negative (pro-suicide forums) impacts
- Chatbots and Al-Driven CBT
 - Efficacy, limitations, and ethical considerations
- Virtual Reality (VR) in Exposure Therapy
 - o Anxiety, PTSD, phobias, and rehabilitation
- Digital Therapeutics and Mobile Apps
 - o Mood tracking, habit formation, medication reminders
- Remote Monitoring of Psychiatric Symptoms
 - Wearables, smartphone sensors, passive data collection
- Tech-Related Sleep Disturbances
 - o Blue light exposure, delayed sleep phase, insomnia
- Cyberchondria
 - Excessive online health searches leading to anxiety
- Online Radicalization and Extremism
 - o Impact on adolescent mental health and societal safety
- Virtual Reality and Identity Exploration
 - o Effects on self-perception, dissociation, and identity development
- Augmented Reality (AR) and Mental Health Interventions
 - o Exposure therapy, social skills training, and rehabilitation
- Wearable Devices and Al for Mood and Anxiety Monitoring
 - Using physiological data (heart rate, sleep, activity) to track psychiatric symptoms

Psychiatry & COVID

- Neuropsychiatric Manifestations of COVID-19
 - o Delirium, psychosis, mania, anxiety, and depression in acute infection
- Long COVID and Cognitive/Psychiatric Sequelae
 - o "Brain fog," fatigue, anxiety, depression, sleep disturbances
- Neuroinflammation and Psychiatric Symptoms
 - o Cytokine storm and microglial activation as mechanisms
- COVID-19 and Suicidality
 - o Increased risk in severe cases, ICU patients, and those with persistent symptoms

Psychiatry & Forensics

- Predicting Violent Behavior
 - o Risk assessment tools (HCR-20, VRAG) and clinical predictors
- Sexual Offenders and Paraphilic Disorders
 - o Assessment, treatment, and risk management
- Psychopathy and Criminal Behavior
 - o Neurobiological, behavioral, and forensic perspectives
- Suicide Risk Assessment in Forensic Settings
 - o Correctional facilities, forensic hospitals, and outpatient settings
- Personality Disorders in the Criminal Justice System
 - o Antisocial, borderline, and narcissistic traits and legal outcomes
- Immigration and Asylum Psychiatry
 - Mental health evaluation for legal proceedings
- Terrorism, Radicalization, and Mental Health
 - Risk assessment and psychiatric intervention
- Psychological Testing in Forensic Contexts
 - o MMPI, PCL-R, neurocognitive assessments
- Suicidality and "Suicide by Mass Murder" Phenomenon
 - o Co-occurrence of suicidal ideation with homicidal intent
- Case Studies and Forensic Analyses of Past Mass Shootings
 - Learning from behavioral, psychiatric, and legal patterns
- Preventive Psychiatry in High-Risk Populations
 - o Targeted mental health interventions, social support, and monitoring

Psychiatry & Community Programs

- Community Mental Health Centers
 - o History, role in deinstitutionalization, and modern multidisciplinary care
- Mobile and/or Pop-Up Mental Health Units
 - o Outreach to underserved areas, crisis intervention, and screening
- Integrated Primary Care and Mental Health Services
 - o Collaborative care models in community clinics
- Assertive Community Treatment (ACT) Teams
 - o Intensive support for severe mental illness in community settings
- Peer Support Programs
 - o Recovery-oriented care and the role of lived experience
- School-Based Mental Health Programs
 - o Screening, counseling, and resilience-building interventions

- Substance Use Prevention Programs
 - Harm reduction, education, and early intervention
- Early Psychosis Intervention Programs
 - o Detection, treatment, and community follow-up
- Programs for Refugees and Immigrants

- o Trauma-informed care, cultural adaptation, and language access
- Programs for Homeless Populations
 - Outreach psychiatry, shelter-based services, and substance use interventions
- Veteran-Focused Community Programs
 - o PTSD, reintegration support, and peer mentorship
- Faith-Based and Nonprofit Mental Health Programs
 - o Leveraging community networks for outreach and support
- Community Crisis Intervention Teams (CIT)
 - Police-mental health collaboration and crisis de-escalation
- Integrated Mental Health in Non-Traditional Settings
 - o Libraries, community centers, faith-based organizations
- Home-Based and "Hospital-at-Home" Programs
 - o Intensive community care for severe mental illness

Psychiatry & Eating Disorders

- Neurocircuitry of Reward and Food Restriction
 - O Dopaminergic and serotonergic pathways in anorexia and binge eating
- Gut-Brain Axis and Microbiome in Eating Disorders
 - o Emerging research on digestion, appetite regulation, and psychiatric symptoms
- Neuroimaging Studies in Eating Disorders
 - O Structural and functional brain differences, cognitive control, and body image perception
- Hormonal and Metabolic Dysregulation in Eating Disorders
 - O Leptin, ghrelin, cortisol, and endocrine changes in anorexia and binge eating
- Body Image Disturbance and Sociocultural Pressures
 - o Media influence, social comparison, and internalized thin ideals
- Gender, Sexuality, and Eating Disorder Risk
 - o LGBTQ+ populations, male-specific presentations, and minority stress
- Social Media, Technology, and Eating Disorder Behaviors
 - o Instagram, TikTok, pro-ED communities, and online peer influence
- Therapies for Eating Disorders: Family-Based, Cognitive Behavioral, Dialectical (DBT)

- $\circ\quad$ Evidence-based approaches for bulimia, binge eating, and anorexia
- Pharmacotherapy in Eating Disorders
 - SSRIs, atypical antipsychotics, and appetite modulators
- Orthorexia Nervosa
 - o Extreme "healthy eating" patterns and psychiatric overlap